



Tire Fitment Guide

2009

IMPORTANT TIRE GUIDE INFORMATION

PLEASE READ!

This guide is presented as a sales aid for the Mickey Thompson Tire line only. These suggestions are a starting point in discussing the minimum required changes to a vehicle in order to fit Mickey Thompson Baja Series Tires. These suggestions in no way express or imply the safety or fitness of the vehicle or minimum changes required.

CAUTION!

If changing the overall tire diameter from the original equipment, the speedometer accuracy and anti-lock brake system (ABS) may be affected. Vehicles should not be fitted with wheel diameters that are smaller than the original equipment wheel diameter because they may interfere with brake and suspension components.

This guide is presented as a sales aid for the Mickey Thompson Tire line only. These suggestions are a starting point in discussing the minimum required changes to a vehicle in order to fit Mickey Thompson Baja Series Tires. These suggestions in no way express or imply the safety or fitness of the vehicle or minimum changes required.

| FITMENT GUIDE LEGEND: | | | | | | | | | | | | | | |
|---|--|-------------|--|---------------------------|--|---|---|---------------------------|------------------------------|---|---------------------------|--|-------------------------------|--------------|
| T - FENDER TRIM REQUIRED | F - FENDER CUT / CUT OUT FLARES REQUIRED | | | | W - O.E. OR POSITIVE OFFSET WHEELS REQUIRED | | | | | S - SEE LIFT COMPANY FOR PROPER OFFSET | | | | |
| Appx. Tire Diameter >> | 28" | 30" | 31" | | 32" | 33" | | 33"-34" | 34"-35" | | 36"-37" | 38"-39" | 39-40" | |
| DIRECTIONS: Find vehicle below - desired size(s) to the right. Changes required, if any, are described in the legend. | 28x9.50-All 225/75R16 | 30x9.50-All | 31x10.50-All 245/75R16 245/70R17 | 31x11.50-All 265/75R16 | 32x11.50R15 235/85R16 265/70R17 275/65R18 | 33x11.50-All 285/75R16 285/70R17 275/70R18 | 33x12.50-All 305/70R16 305/60R18 305/55R20 | 33x13.50-All 325/60R18 | 34x11.50-All 33x15.50-All | 35x12.50-All 315/75R16 315/70R17 305/70R18 | 35x13.50-All 325/65R18 | 36x14.50-All 36x15.50-All 37x12.50-All 37x13.50-All | 38x15.50-All 38.5x14.50R20 | 40x13.50-All |
| CHEVY/GMC 2WD | | | | | | | | | | | | | | |
| 82 - 93 S10 / T10 P/U's, SUV's | 0" (W) | 2" (T) | 2" (T) | 3" | 3" | 6" | 6" | 6" | --- | --- | --- | --- | --- | --- |
| 94 - 04 S10 / T10 P/U's, SUV's | 0" (W) | 2" (T) | 2" (T) | 3" | 3" | 6" | 6" | 6" | --- | --- | --- | --- | --- | --- |
| 73 - 91 Blazer, Jimmy, Suburban 1/2 ton | --- | 0" | 0" (W) | 2" | 2" | 4" | 6" | 6" | 7" | 8" | 9" | 9" (T) | --- | --- |
| 92 - 99 Blazer, Yukon, Tahoe | --- | 0" | 0" (W) | 0" (W) | 2" | 4" | 6" | 6" | 7" | 8" | 9" | 9" (T) | --- | --- |
| 00 - 09Tahoe, Yukon, Yukon XL, Suburban 1500 and Avalanche | --- | --- | 0" (W) | 0" (W) | 0" (W) | 2" | 4" | 4" | 6" | 6" | 7" (T) | 9" (T) | --- | --- |
| 73 - 87 C20, C30, Suburban 3/4 ton | --- | 0" | 0" | 0" | 0" (W) | 2" | 2" | 3" | 5" | 6" | 6" (W) | --- | --- | --- |
| 88 - 98 C1500 P/U | --- | 0" | 0" (W) | 0" (W) | 2" | 4" | 6" | 6" | 7" | 8" | 9" | 9" (T) | --- | --- |
| 88 - 98 C2500, C3500, Suburban 2500 | --- | --- | 0" | 0" | 0" (W) | 2" | 4" | 4" (T) | 6" | 6" (T) | 8" | 9" | --- | --- |
| 99 - 06 Silverado / Sierra 1500 | --- | --- | 0" (W) | 0" (W) | 2" (W) | 3" | 4" (T) | 4" | 6" | 6" | 7" (T) | 9" (T) | --- | --- |
| 07 - 09 Silverado / Sierra 1500 | --- | --- | 0" (W) | 0" (W) | 0" (W) | 2" | 4" | 4" (T) | 6" | 6" (T) | 8" | 9" | --- | --- |
| 99 - 09 Silverado / Sierra 1500HD,2500,3500 | --- | --- | 0" (W) | 0" (W) | 0" (W) | 2" | 4" | 4" (T) | 6" | 6" (T) | 6" (T) | --- | --- | --- |
| 99 - 09 Silverado / Sierra 1500HD,2500,3500 | --- | --- | 0" (W) | 0" (W) | 0" (W) | 2" | 4" | 4" (T) | 6" | 6" (T) | 6" (T) | --- | --- | --- |
| 04 - 09 Colorado / Canyon Z71, Z85 | 0" | 0" (W) | 2" | 2" (W) | 2" (W) | 3" | 3" | 4" | --- | --- | --- | --- | --- | --- |
| CHEVY/GMC 4WD | | | | | | | | | | | | | | |
| 82 - 93 S10 / T10 P/U's, SUV's | 0" (W) | 1.5" | 4" | 3" (F) | 4" (F) | 4" (F) | 6" (F) | 7" (F) | --- | --- | --- | --- | --- | --- |
| 94 - 04 S10 / T10 P/U's, SUV's | 0" | 0" | 2" | 2" (F) | 4" (F) | 4" (F) | 6" (F) | 7" (F) | --- | --- | --- | --- | --- | --- |
| 02 - 09 Trailblazer/ Equinox/ Envoy | 0" (W) | 0" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 73 - 91 K-5 Blazer, Jimmy, Suburban | --- | 0" | 0" | 0" | 2" | 2" | 3" | 4" | 4" | 4" (F) | 4" (F) | 6" (F) | 10" | 10" (F) |
| 92 - 99 Blazer, Yukon, Tahoe | --- | --- | 0" | 0" | 2" | 2" | 4" | 4" (T) | 6" | 6" (T) | 8" | 9" | 9" (F) | 10" (F) |
| 00 - 06 Tahoe, Yukon, Yukon XL, and Avalanche | --- | --- | 0" | 0" | 0" | 2" | 2" (W) | 4" | 4" (W) | 6" | 6" (W) | 7" (T) | 9" (T) | --- |
| 07 - 09 Tahoe, Yukon, Yukon XL, and Avalanche | --- | --- | --- | --- | 0" | 0" | 4" | 4" | 4" (T) | 6" (T) | 6" (T) | --- | --- | --- |
| 92 - 99 Suburban | --- | --- | 0" | 0" | 2" | 2" | 4" | 4" (T) | 6" | 6" (T) | 8" | 9" | 9" (F) | 10" (F) |
| 00 - 06 Suburban | --- | --- | 0" | 0" | 2" | 3" | 4" (W) | 4" (W) | 4" (W) | 6" | 6" (W) | 7" (T) | 9" (T) | --- |
| 07 - 09 Suburban | --- | --- | 0" | 0" | 0" (T) | 2" | 4" | 4" (T) | 6" | 6" (T) | 6" (T) | --- | --- | --- |
| 73 - 87 K 10, 20, 30 | --- | --- | 0" | 0" | 2" | 2" | 3" | 4" | 4" | 4" (F) | 4" (F) | 6" (F) | 10" | 10" (F) |
| 88 - 98 K 1500, 2500, K3500 | --- | --- | 0" | 0" | 2" | 2" | 4" | 4" (T) | 6" | 6" (T) | 8" | 9" | 9" (F) | 10" (F) |
| 99 - 06 Silverado / Sierra 1500 | --- | --- | 0" (W) | 0" (W) | 0" (W) | 2" | 4" | 4" (T) | 6" (T) | 6" (T) | 6" (T) | --- | --- | --- |
| 07 - 09 Silverado / Sierra 1500 | --- | --- | 0" (W) | 0" (W) | 2" (W) | 4" | 4" (T) | 6" (T) | 8" (T) | 8" (T) | 8" (T) | --- | --- | --- |
| 99 - 06 Silverado / Sierra 1500HD,2500,3500 | --- | --- | 0" (W) | 0" (W) | 0" (W) | 2" | 2" (T) | 4" (T) | 6" | 6" (T) | 6" (T) | 8" | 9" (F) | --- |
| 07 - 09 Silverado / Sierra 1500HD,2500,3500 | --- | --- | 0" (W) | 0" (W) | 2" (W) | 4" | 4" (T) | 6" (T) | 8" (T) | 8" (T) | 8" (T) | 9" (F) | 10" (F) | --- |
| 04 - 09 Colorado Z85 | --- | --- | 0" | 0" (W) | 4" | 4" | --- | --- | --- | --- | --- | --- | --- | --- |
| 04 - 09 Colorado Z71 | --- | --- | 0" (W) | 0" (W) | 2" | 4" | --- | --- | --- | --- | --- | --- | --- | --- |

(T) = Fender trim required (F) Fender flares required (W) OE or Positive Offset Wheels Required (S) See Lift Company For Proper Offset.
Wheel width plays a part in tire fitment / clearance. Use your best judgement in choosing wheel width / backspacing.

This guide is presented as a sales aid for the Mickey Thompson Tire line only. These suggestions are a starting point in discussing the minimum required changes to a vehicle in order to fit Mickey Thompson Baja Series Tires. These suggestions in no way express or imply the safety or fitness of the vehicle or minimum changes required.

| FITMENT GUIDE LEGEND: | | | | | | | | | | | | | | |
|---|--|-------------|--|---------------------------|--|---|---|---------------------------|------------------------------|---|---------------------------|--|-------------------------------|--------------|
| T - FENDER TRIM REQUIRED | F - FENDER CUT / CUT OUT FLARES REQUIRED | | | | W - O.E. OR POSITIVE OFFSET WHEELS REQUIRED | | | | | S - SEE LIFT COMPANY FOR PROPER OFFSET | | | | |
| Appx. Tire Diameter >> | 28" | 30" | 31" | | 32" | 33" | | | 33"-34" | 34"-35" | | 36"-37" | 38"-39" | 39-40" |
| DIRECTIONS: Find vehicle below - desired size(s) to the right. Changes required, if any, are described in the legend. | 28x9.50-All 225/75R16 | 30x9.50-All | 31x10.50-All 245/75R16 245/70R17 | 31x11.50-All 265/75R16 | 32x11.50R15 235/85R16 265/70R17 275/65R18 | 33x11.50-All 285/75R16 285/70R17 275/70R18 | 33x12.50-All 305/70R16 305/60R18 305/55R20 | 33x13.50-All 325/60R18 | 34x11.50-All 33x15.50-All | 35x12.50-All 315/75R16 315/70R17 305/70R18 | 35x13.50-All 325/65R18 | 36x14.50-All 36x15.50-All 37x12.50-All 37x13.50-All | 38x15.50-All 38.5x14.50R20 | 40x13.50-All |
| DODGE 2WD | | | | | | | | | | | | | | |
| 87 - 96 Dakota | 0" (W) | 2" | 2" (T) (W) | 2" (F) (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 97 - 04 Dakota | 0" (W) | 2" (W) | 3" | 3" (W) | 5" | 6" | 6" (T) | 6" (F) | --- | --- | --- | --- | --- | --- |
| 05 - 09 Dakota | --- | --- | 0" | --- | 0" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 98 - 03 Durango | 0" (W) | 2" (W) | 3" | 3" (W) | 5" | 6" | 6" (T) | 6" (F) | --- | --- | --- | --- | --- | --- |
| 04 - 09 Durango | --- | --- | 0" | --- | 0" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 76 - 93 1/2T P.U., Ramcharger | 0" | 0" (W) | 3" | 3" (W) | 4" | 5" | 5" (T) | --- | --- | --- | --- | --- | --- | --- |
| 76 - 93 3/4T, 1T P.U. | --- | --- | 0" | 0" (W) | 2" | 3" | 5" | 5" (T) | --- | --- | --- | --- | --- | --- |
| 94 - 01 Ram 1500 | --- | 0" | 2" | 3" | 4" | 5" | 6" | 6.5" (W) | 8.5" | 9.5" | 9.5" (W) | --- | --- | --- |
| 02 - 09 Ram 1500 | --- | --- | 0" | --- | 2" | 3" | 5" | 6" | 7" | 9" | 9.5" (W) | 12" | --- | --- |
| 94 - 01 Ram 2500, 3500 | --- | --- | 0" | 0" (W) | 2" | 3" | 5" | 6" | 7" | 9" | 9.5" (W) | 12" | --- | --- |
| 02 - 09 Ram 2500, 3500 | --- | --- | 0" | --- | 0" | 0" (W) | 2" | 2" (W) | 4" (W) | 4" (W) | 7" | 7" (W) | --- | --- |
| DODGE 4WD | | | | | | | | | | | | | | |
| 87 - 96 Dakota | 0" (W) | 2" | 4" | 4" (T) | 6" | 6" | 7" | 7" (F) | --- | --- | --- | --- | --- | --- |
| 97 - 04 Dakota | --- | 0" | 0" (W) | 2" (T) | 2" (T) | 3" (T) | 6" | 6" (T) | --- | --- | --- | --- | --- | --- |
| 05 - 09 Dakota | --- | --- | 0" | 0" (T) | 3" | --- | 3" (T) | --- | --- | --- | --- | --- | --- | --- |
| 98 - 03 Durango | --- | 0" | 0" (W) | 2" | 2" (T) | 3" (T) | 6" | 6" (T) | --- | --- | --- | --- | --- | --- |
| 04 - 09 Durango | --- | --- | 0" | --- | --- | 0" | 2" | --- | --- | --- | --- | --- | --- | --- |
| 76 - 93 P.U., Ramcharger | 0" | 0" | 0" | 0" (T) | 2" (T) | 2" (T) | 3" (T) | 4" (T) | 4" (T) | 6" (T) | 8" (T) | 9" (T) | 9" (F) | 9" (F) |
| 94 - 01 Ram 1500 | --- | --- | 0" | 0" | 0" (W) | 0" (W) | 0" (W) | 3" | 4" | 4" (T) | 6" | 5" (F) | 7" (T) | 8" (F) |
| 02 - 08 Ram 1500 | --- | --- | 0" | 0" | 0" | 0" | 0" (W) | 4" | 4" | 6" | 8" | 9" (T) | --- | --- |
| 94 - 01 Ram 2500, 3500 | --- | --- | 0" | 0" | 0" | 0" | 0" (W) | 4" | 6" | 6" | 8" | 9" | 9" | 8" (T) |
| 09 Ram 1500 | --- | --- | 0" | 0" | 2" | 2" | 2" | --- | --- | 4" (S) | --- | --- | --- | --- |
| 02 - 09 Ram 2500, 3500 | --- | --- | 0" | --- | 0" | 0" | 0" (W) | 0" (W) | 3" | 4" | 6" | 8" | --- | --- |
| FORD 2WD | | | | | | | | | | | | | | |
| 83 - 92 Ranger, Bronco II | 2" | 3" | 6" | 6" (W) | 8" | 8" (W) | 9" | 9" (T) | 9" (F) | 9" (F) | 9" (F) (W) | --- | --- | --- |
| 93 - 97 Ranger | 0" (W) | 2" | 4" (W) | 4" (W) | 6" | 8" | 9" | 9" (W) | 9" (T) | 9" (T) | 9" (F) | --- | --- | --- |
| 98 - 09 Ranger | 0" (W) | 2" | 4" (W) | 4" (W) | 6" | 7" | 7" (W) | 7" (W) | 7" (T) (W) | 7" (T) (W) | --- | --- | --- | --- |
| 01 - 09 Escape | 0" | 2" | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 91 - 94 Explorer | 0" | 0" (T) | 3" | 4" | 6" | 6" | 6" (T) | 6" (F) | 8" (F) | 9" | 9" (T) | 9" (F) | --- | --- |
| 95 - 99 Explorer, Mountaineer | --- | 0" | 0" (T) | --- | 4" (F) | 4" | 4" (F) | 6" (F) | --- | --- | --- | --- | --- | --- |
| 00 - 09 Explorer | 0" | 0" | 0" (W) | 0" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 01 - 09 Explorer Sport-Trac | 0" | 0" | 0" (W) | 0" (W) | 2" | 4" | 4" (W) | 4" (W) | 4" (F) | 7" | 7" | --- | --- | --- |
| 65 - 79 F-100, F-150 | 0" | 0" (W) | 2" | 3" | 3" (T) | 3" (F) | --- | --- | --- | --- | --- | --- | --- | --- |
| 80 - 96 F-150 | 0" | 0" | 0" (W) | 2" | 3" | 4" | 6" | 6" (W) | 6" (T) (W) | 8" | 9" (W) | 9" (F) (W) | --- | --- |
| 97 - 09 F-150, Expedition | --- | --- | 0" (W) | 0" (W) | 2" | 3" (W) | 6" | 6" (W) | 6" (T) (W) | 8" | 8" (W) | 9" (W) | --- | --- |
| 77 - 79 F-250 | --- | --- | 0" | 0" | 0" (W) | 2" | 3" | 3" (W) | 3" (T) (W) | 3" (F) (W) | --- | --- | --- | --- |
| 80 - 97 F-250, F-350 | --- | --- | 0" | 0" | 0" | 2" (W) | 2" | 3" | 4" | 6" | 6" (W) | 9" | 9" (F) | --- |
| 98 - 09 F-250, F-350 SuperDuty | --- | --- | 0" | 0" | 0" | 2" (W) | 2" | 3" | 4" | 6" | 6" (W) | 9" | 9" (F) | --- |
| 00 - 05 Excursion | --- | --- | 0" | 0" | 0" (W) | 2" | 4" | 4" (W) | --- | 6" (W) | 8" | --- | --- | --- |

(T) = Fender trim required (F) Fender flares required (W) OE or Positive Offset Wheels Required (S) See Lift Company For Proper Offset. Wheel width plays a part in tire fitment / clearance. Use your best judgement in choosing wheel width / backspacing.

This guide is presented as a sales aid for the Mickey Thompson Tire line only. These suggestions are a starting point in discussing the minimum required changes to a vehicle in order to fit Mickey Thompson Baja Series Tires. These suggestions in no way express or imply the safety or fitness of the vehicle or minimum changes required.

| FITMENT GUIDE LEGEND: | | | | | | | | | | | | | | |
|---|--|-------------|--|---------------------------|--|---|---|---------------------------|------------------------------|---|---------------------------|--|-------------------------------|--------------|
| T - FENDER TRIM REQUIRED | F - FENDER CUT / CUT OUT FLARES REQUIRED | | | | W - O.E. OR POSITIVE OFFSET WHEELS REQUIRED | | | | | S - SEE LIFT COMPANY FOR PROPER OFFSET | | | | |
| Appx. Tire Diameter >> | 28" | 30" | 31" | | 32" | 33" | | | 33"-34" | 34"-35" | | 36"-37" | 38"-39" | 39-40" |
| DIRECTIONS: Find vehicle below - desired size(s) to the right. Changes required, if any, are described in the legend. | 28x9.50-All 225/75R16 | 30x9.50-All | 31x10.50-All 245/75R16 245/70R17 | 31x11.50-All 265/75R16 | 32x11.50R15 235/85R16 265/70R17 275/65R18 | 33x11.50-All 285/75R16 285/70R17 275/70R18 | 33x12.50-All 305/70R16 305/60R18 305/55R20 | 33x13.50-All 325/60R18 | 34x11.50-All 33x15.50-All | 35x12.50-All 315/75R16 315/70R17 305/70R18 | 35x13.50-All 325/65R18 | 36x14.50-All 36x15.50-All 37x12.50-All 37x13.50-All | 38x15.50-All 38.5x14.50R20 | 40x13.50-All |
| FORD 4WD | | | | | | | | | | | | | | |
| 83 - 92 Ranger, Bronco II | 0" | 2" | 4" | 4" | 6" | 6" | 6" (T) | 6" (F) | 8" (F) | 9" | 9" (T) | 9" (F) | --- | --- |
| 93 - 97 Ranger | --- | 0" | 0" (W) | 0" (T) | 4" | 4" | 6" (T) | 6" (T) | 6" (F) | 8" | 9" | 9" (F) | --- | --- |
| 98 - 09 Ranger | --- | 0" | 0" (T) | 2" (T) | 4" | 4" (F) | 6" (T) | 6" (T) | 6" (F) | 7" (T) | 7" (F) | --- | --- | --- |
| 01 - 09 Escape | 0" | 0" | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 91 - 94 Explorer | 0" | 0" (T) | 3" | 4" | 6" | 6" | 6" (T) | 6" (F) | 8" (F) | 9" | 9" | 9" (F) | --- | --- |
| 95 - 99 Explorer, Mountaineer | 0" | 0" | 0" (T) | --- | 4" (F) | 4" | 4" (F) | 6" (F) | --- | --- | --- | --- | --- | --- |
| 00 - 09 Explorer | 0" | 0" | 0" (W) | 0" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 01 - 09 Explorer Sport-Trac | 0" | 0" | 0" (W) | 0" (W) | 2" | 4" | 4" (W) | 4" (W) | 4" (F) | 7" | 7" | --- | --- | --- |
| 66 - 77 Bronco | --- | 0" | 3" or (F) | 2" (F) | 4" (F) | 0" (F) | 3" (F) | 4" (F) | 4" (F) | 5" (F) | 6" (F) | 7" (F) | 9" (F) | --- |
| 78 - 79 Bronco | 0" | 0" | 0" | 0" (T) | 3" | 0" | 2" | 4" | 3" | 3" | 4" (T) | 5" (F) | 8" (T) | 9" (T) |
| 80 - 96 Bronco | 0" | 0" | 0" | 0" | 4" | 0" (W) | 3" | 4" | 6" | 6" | 8" | 9" | 9" (F) | 9" (F) |
| 65 - 79 F-100, F-150 | --- | 0" | 0" | 0" | 3" | 3" | 4" | 4" (T) | 4" (T) | 5" (T) | 5" (F) | 7" (F) | 8" (F) | 9" (F) |
| 80 - 96 F-150 | --- | 0" | 0" | 0" | 3" | 2" (W) | 3" | 4" | 6" | 6" | 8" | 9" | 9" (F) | 9" (F) |
| 97 - 07 F-150, Expedition | --- | --- | 0" | 0" | --- | 2" (W) | 2" (W) | 3" (W) | 4" | 6" | 6" (T) | 8" | 8" (T) | 9" (F) |
| 77 - 79 F-250 | --- | --- | --- | 0" | --- | 2" | 0" (W) | 2" | 4" | 4" | 4" (T) | 6" | 8" | 9" (T) |
| 80 - 97 F-250, F-350 | --- | --- | --- | --- | --- | 4" | 4" (W) | 4" | 4" (T) | 4" | 4" (T) | 6" (T) | 9" | 9" (F) |
| 98 - 07 F-250, F-350 SuperDuty | --- | --- | --- | --- | --- | 0" | 2" | 2" | 4" (S) | 4" (S) | 4" (S) | 6" (T)(S) | 10" (S) | 11" |
| 08-09 F-250, F350 Superduty | --- | --- | --- | --- | --- | --- | 2" | --- | 3" (S) | 4" (S) | 4" (S) | 8" (S) | 10" (T,S) | 11" |
| 00 - 05 Excursion | --- | --- | --- | 0" | 0" | 2" | 2" | 2" | 4" | 4" | 4" | 6" (T) | 8" (T) | 11" |
| 08-09 F-150 | --- | --- | 0" | 0" | --- | --- | 4" | 4" (T) | --- | 6" | --- | --- | --- | --- |
| GM - HUMMER | | | | | | | | | | | | | | |
| H1 / Humvee | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0" | 0" | 0" | --- | --- |
| 02-09 Hummer H2 & H2 SUT | --- | --- | --- | --- | --- | --- | --- | --- | --- | 0" | 4" (S) | 6" (S) | 10" (S) | No fitment |
| 05-09 Hummer H3 & H3T | --- | --- | --- | 0" | 0" | 0" | 0" | --- | --- | 2.5" | 4" | 6" | --- | --- |
| HONDA 4WD | | | | | | | | | | | | | | |
| 97 - 02 Honda Passport | --- | 0" | 0" | 0" (T) | 2" (T) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 03 - 09 Honda Pilot | --- | --- | 0" | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 06 - 09 Ridgeline | --- | --- | 0" | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| ISUZU 4WD | | | | | | | | | | | | | | |
| 83 - 95 Isuzu Pickup | 0" (T) | 2" (T) | 3" (W) | 3" (T) (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 84 - 00 Isuzu Amigo | --- | 0" | 0" | 0" (T) | 2" (T) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 98 - 04 Isuzu Rodeo | --- | 0" | 0" | 0" (T) | 2" (T) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 84 - 96 Isuzu Trooper II | --- | 0" | 0" | 0" (T) | 2" (T) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 96 - 00 Isuzu Hombre | --- | 0" | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| JEEP 2WD & 4WD | | | | | | | | | | | | | | |
| 06 - 09 Commander | --- | --- | 0" | 0" | 0" | 2" (S) | 2" (S) | 3" (S) | 3" (S) | 4" | --- | --- | --- | --- |
| 93 - 98 Grand Cherokee | 0" | 0" | 2" (W) | 3" (T) | 4" (T) | 4" (F) | 6" (F) | --- | --- | --- | --- | --- | --- | --- |
| 05 - 09 Grand Cherokee | --- | 0" | No fitment | 0" (W) | 3.5"(S)(T) | 4" | 4" | No fitment | No fitment | 6" | --- | --- | --- | --- |
| 84 - 01 Cherokee XJ | 0" | 3" | 3" (W) | 3" (T) (W) | 4" (F) (W) | 6" (F) (W) | 6" (F) (W) | 6" (F) (W) | 8" (F) | 8" (F) (W) | --- | --- | --- | --- |
| 87 - 96 Wrangler YJ | 0" | 0" | 2" | 2" (F) | 4" | 4" | 5" | 6" | 7" | 6" (F) | 7" (F) | 8" (F) | --- | --- |
| 97 - 06 Wrangler TJ | --- | --- | 0" (W) | 2" | 2" (T) | 2.5" | 4" (T) | 4" (F) | 4" (F) | 6" (F) | 7" (F) | 8" (F) | --- | --- |
| 07 - 09 Wrangler JK, unlimited | --- | 0" | 0" | 0" (W) | 0" (W) | 2" | 2" | 4" | 6" | 6" (S) | No fitment | No fitment | --- | --- |
| 07 - 09 Sahara & Rubicon | --- | --- | --- | 0" (W) | 0" (W) | 2" | 2.5" | 4" | 6" | 6" (S) | No fitment | No fitment | --- | --- |
| 55 - 86 CJ 5, 6, 7, 8 | 0" | 0" | 0" (W) | 2" | 2.5" (F) | 4" | 4" (T) | 4" (F) | 6" | 6" (F) | 6" (F) | 7" (F) | --- | --- |
| 02 - 09 Liberty | 0" | 0" | --- | --- | 3.5"(S)(T) | --- | --- | --- | --- | --- | --- | --- | --- | --- |

(T) = Fender trim required (F) Fender flares required (W) OE or Positive Offset Wheels Required (S) See Lift Company For Proper Offset.
Wheel width plays a part in tire fitment / clearance. Use your best judgement in choosing wheel width / backspacing.

This guide is presented as a sales aid for the Mickey Thompson Tire line only. These suggestions are a starting point in discussing the minimum required changes to a vehicle in order to fit Mickey Thompson Baja Series Tires. These suggestions in no way express or imply the safety or fitness of the vehicle or minimum changes required.

| FITMENT GUIDE LEGEND: | | | | | | | | | | | | | | |
|---|--|-------------|--|---------------------------|--|---|---|---------------------------|------------------------------|---|---------------------------|--|-------------------------------|--------------|
| T - FENDER TRIM REQUIRED | F - FENDER CUT / CUT OUT FLARES REQUIRED | | | | W - O.E. OR POSITIVE OFFSET WHEELS REQUIRED | | | | | S - SEE LIFT COMPANY FOR PROPER OFFSET | | | | |
| Appx. Tire Diameter >> | 28" | 30" | 31" | | 32" | 33" | | 33"-34" | 34"-35" | | 36"-37" | 38"-39" | 39-40" | |
| DIRECTIONS: Find vehicle below - desired size(s) to the right. Changes required, if any, are described in the legend. | 28x9.50-All 225/75R16 | 30x9.50-All | 31x10.50-All 245/75R16 245/70R17 | 31x11.50-All 265/75R16 | 32x11.50R15 235/85R16 265/70R17 275/65R18 | 33x11.50-All 285/75R16 285/70R17 275/70R18 | 33x12.50-All 305/70R16 305/60R18 305/55R20 | 33x13.50-All 325/60R18 | 34x11.50-All 33x15.50-All | 35x12.50-All 315/75R16 315/70R17 305/70R18 | 35x13.50-All 325/65R18 | 36x14.50-All 36x15.50-All 37x12.50-All 37x13.50-All | 38x15.50-All 38.5x14.50R20 | 40x13.50-All |
| MAZDA 2WD | | | | | | | | | | | | | | |
| 94 - 97 B4000 Series | 0" (W) | 2" | 4" (W) | 4" (W) | 6" | 8" | 9" | 9" (W) | 9" (T) | 9" (T) | 9" (F) | --- | --- | --- |
| 98 - 05 Pickup | 0" (W) | 2" | 4" (W) | 4" (W) | 6" | 7" | 7" (W) | 7" (W) | 7" (T) (W) | 7" (T) (W) | --- | --- | --- | --- |
| 01 - 09 Tribute | 0" | 0" | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MAZDA 4WD | | | | | | | | | | | | | | |
| 78 - 86 Pickup | 2" (T) | 2" (F) | 2" (F) | 2" (F) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 87 - 92 Pickup | --- | 0" | 0" (T) | 2" (T) | 2" (T) | 3" (T) | 3" (F) | --- | --- | --- | --- | --- | --- | --- |
| 94 - 97 B4000 Series | --- | --- | 0" (T) | 0" (T) | --- | 4" | 6" (T) | 6" (T) | 6" (F) | 8" | 9" (T) | 9" | --- | --- |
| 98 - 05 Pickup | --- | 0" | 0" (W) | 0" (W) | 4" (F) | 4" (F) | 6" (T) | 6" (T) | 6" (F) | 7" (T) | 7" (F) | --- | --- | --- |
| 01 - 09 Tribute | 0" | 0" | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| MITSUBISHI 4WD | | | | | | | | | | | | | | |
| 82 - 86 Pickup | 0" (W) | 2" (F) | 2" | 2" (F) | 4" (T) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 87 - 92 Pickup | 0" | 2" | 2" | 2" (F) | 4" (T) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 01 - 09 Endeavor | --- | --- | 0" (W) | --- | 0" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 84 - 92 Montero | 0" | 2" | 2" (T) | 2" | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 93 - 04 Montero | 0" | 0" | 0" (W) | 2" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 05 - 09 Montero | --- | --- | --- | --- | 0" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 06 - 09 Raider | --- | 3" body | 3" body(T) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| NISSAN 2WD | | | | | | | | | | | | | | |
| 78 - 86 Pickup | 2" (W) | 3" (W) | 6" (T) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 87 - 97 Pickup | 2" | 3" | 6" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 86 - 97 Pathfinder | 0" | 0" (W) | 0" (W) | 2" | 4" (T) | 0" (T) | 4" (T) | --- | --- | --- | --- | --- | --- | --- |
| 98 - 04 Pathfinder | 0" | 0" | 2" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 00 - 04 Frontier Pickup | 2" | 3" | 6" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 04 - 09 Titan and Armada | --- | --- | 2" (W) | --- | 3" (W) | 3" (W) | 4" (W) | 6" | 6" (W) | 8" | 8" (W) | --- | --- | --- |
| 00 - 04 Xterra | 0" | 0" | 0" (W) | 3" | 3" (W) | 5" | 5" (W) | --- | --- | --- | --- | --- | --- | --- |
| NISSAN 4WD | | | | | | | | | | | | | | |
| 78 - 86 Pickup | 2" | 2" (T) | 2" (F) | 2" (F) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 87 - 97 Pickup | 0" | 0" (W) | 0" (W) | 2" | 2" (F) | 0" (T) | 4" (T) | --- | --- | --- | --- | --- | --- | --- |
| 86 - 97 Pathfinder | 0" | 0" (W) | 0" (W) | 2" | 4" (T) | 0" (T) | 4" (T) | --- | --- | --- | --- | --- | --- | --- |
| 98 - 04 Pathfinder | 0" | 0" | 2" | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 00 - 04 Frontier Pickup | --- | 0" | 2" | 3" | 3" (W) | 5" | 5" (W) | --- | --- | --- | --- | --- | --- | --- |
| 04 - 09 Titan and Armada | --- | --- | 2" (T) | --- | --- | 3" (T) | 4"(s)(T) | --- | --- | 6" | 8" | 10" | --- | --- |
| 00 - 04 Xterra | 0" | 0" | 0" (W) | 3" | 3" (W) | 5" | 5" (W) | --- | --- | --- | --- | --- | --- | --- |
| 05 - 09 Xterra | --- | 0" | 0" | 0" (T) | 3" | 5" | 5" (W) | --- | --- | --- | --- | --- | --- | --- |
| SUZUKI | | | | | | | | | | | | | | |
| 86 - 91 Samurai | 3" (W) | 3" (F) (W) | 6" | 6" (F) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 89 - 00 Sidekick | 0" (F) | 0" (F) (W) | 2.5" (T) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |

(T) = Fender trim required (F) Fender flares required (W) OE or Positive Offset Wheels Required (S) See Lift Company For Proper Offset.
Wheel width plays a part in tire fitment / clearance. Use your best judgement in choosing wheel width / backsacing.

This guide is presented as a sales aid for the Mickey Thompson Tire line only. These suggestions are a starting point in discussing the minimum required changes to a vehicle in order to fit Mickey Thompson Baja Series Tires. These suggestions in no way express or imply the safety or fitness of the vehicle or minimum changes required.

| FITMENT GUIDE LEGEND: | | | | | | | | | | | | | | |
|---|--|-------------|--|---------------------------|--|---|---|---------------------------|------------------------------|---|---------------------------|--|-------------------------------|--------------|
| T - FENDER TRIM REQUIRED | F - FENDER CUT / CUT OUT FLARES REQUIRED | | | | W - O.E. OR POSITIVE OFFSET WHEELS REQUIRED | | | | | S - SEE LIFT COMPANY FOR PROPER OFFSET | | | | |
| Appx. Tire Diameter >> | 28" | 30" | 31" | | 32" | 33" | | 33"-34" | 34"-35" | | 36"-37" | 38"-39" | 39-40" | |
| DIRECTIONS: Find vehicle below - desired size(s) to the right. Changes required, if any, are described in the legend. | 28x9.50-All 225/75R16 | 30x9.50-All | 31x10.50-All 245/75R16 245/70R17 | 31x11.50-All 265/75R16 | 32x11.50R15 235/85R16 265/70R17 275/65R18 | 33x11.50-All 285/75R16 285/70R17 275/70R18 | 33x12.50-All 305/70R16 305/60R18 305/55R20 | 33x13.50-All 325/60R18 | 34x11.50-All 33x15.50-All | 35x12.50-All 315/75R16 315/70R17 305/70R18 | 35x13.50-All 325/65R18 | 36x14.50-All 36x15.50-All 37x12.50-All 37x13.50-All | 38x15.50-All 38.5x14.50R20 | 40x13.50-All |
| TOYOTA 2WD | | | | | | | | | | | | | | |
| 79 - 85 Pickup | 3" | 3" (W) | 6" (W) | 6" (T) (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 86 - 94 Pickup | 2" | 3" | 6" | 6" (T) (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 95 - 09 Tacoma (inc. Pre-Runner Pkg) | 0" (W) | 3" | 6" | 6" (T) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 95 - 98 T-100 | --- | --- | 0" | 0" (W) | 2" | 4" | 7" | 7" (W) | --- | --- | --- | --- | --- | --- |
| 00 - 06 Tundra | --- | --- | 0" | 0" (W) | 2" | 4" | 7" | 7" (W) | 8" | 9" | 9" (W) | --- | --- | --- |
| 07 - 09 Tundra | --- | --- | --- | --- | 0" | --- | 4" | --- | --- | --- | --- | --- | --- | --- |
| 95 - 00 4-Runner | --- | 0" | 0" | 0" (W) | 3" | 4" | 4" | 4" (T) | 4" (F) | 7" (T) | 7" | 8" (F) | --- | --- |
| 01 - 04 4-Runner | --- | --- | --- | 0" | 3" | 4" | 4" | 4" (T) | 4" (F) | 7" (T) | 7" | 8" (F) | --- | --- |
| 01 - 09 Highlander | 0" | 0" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 01 - 09 Sequoia | --- | --- | --- | 0" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 99 - 08 Rav4 | 0" (W) | 0" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 07 - 09 FJ Cruiser | --- | --- | --- | --- | 0" | 3" | 3" | --- | --- | --- | --- | --- | --- | --- |
| TOYOTA 4WD | | | | | | | | | | | | | | |
| 79 - 85 Pickup | 0" | 0" | 0" (W) | 2" | 3" | 3" | 4" | 5" | 4" (T) | 6" | 7" | 8" (F) | 10" (F) | 11" (F) |
| 86 - 94 Pickup | 0" | 0" | 0" (W) | 2" | 3" | 4" | 4" | 4" (T) | 4" (F) | 7" (T) | 7" (T) | 8" (F) | 8" (F) | --- |
| 95 - 09 Tacoma (inc. Pre-Runner Pkg) | --- | 0" | 0" | 0" (W) | 3" | 3" | 6" | 6" | 7" | 8" | 8" | --- | --- | --- |
| 95 - 98 T-100 | --- | 0" | 0" | 0" (T) | 2" (T) | 2" | 4" | 4" (T) | 4" (F) | 6" | 6" (T) | 7" | 7" (F) | --- |
| 00 - 06 Tundra | --- | 0" | 0" | 0" (T) | 2" (T) | 2" | 4" | 4" (T) | 4" (F) | 6" | 6" (T) | 7" | 7" (F) | --- |
| 07 - 09 Tundra | --- | --- | --- | --- | 0" | 2.5" | 2.5" | --- | --- | --- | --- | --- | --- | --- |
| 75 - 84 FJ40 Landcruiser | --- | 0" | 3" or (F) | 2" (F) | 3" (F) | 2" (F) | 4" (F) | 6" (F) | 7" (F) | 7" (F) | 7" (F) | --- | --- | --- |
| 84 - 92 FJ60 Landcruiser | --- | 0" | 0" (W) | 2" or (F) | 3" (F) | 3" (F) | --- | --- | --- | --- | --- | --- | --- | --- |
| 94 - 99 Landcruiser | --- | --- | 0" (W) | 0" (W) | 3" (W) | 3" (W) | --- | --- | --- | --- | --- | --- | --- | --- |
| 95 - 00 4-Runner | --- | 0" | 0" | 0" (W) | 3" | 4" | 4" | 4" (T) | 4" (F) | 7" (T) | 7" (T) | 8" (F) | --- | --- |
| 01 - 04 4-Runner | --- | --- | --- | 0" | 3" | 4" | 4" | 4" (T) | 4" (F) | 7" (T) | 7" (T) | 8" (F) | --- | --- |
| 01 - 09 Highlander | 0" | 0" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 01 - 09 Sequoia | 0" | 0" | 0" (W) | 0" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 99 - 08 Rav4 | 0" (W) | 0" (W) | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- | --- |
| 07 - 09 FJ Cruiser | --- | --- | --- | --- | 0" | 3" | 3" | --- | --- | --- | --- | --- | --- | --- |

(T) = Fender trim required (F) Fender flares required (W) OE or Positive Offset Wheels Required (S) See Lift Company For Proper Offset. Wheel width plays a part in tire fitment / clearance. Use your best judgement in choosing wheel width / backspacing.



Mickey Thompson
Performance Tires & Wheels
4600 Prosper Drive, Stow, OH 44224
PH. (330) 928-9092 • FAX (330) 928-0503

www.mickeythompstires.com

All specifications subject to change without notice. Not responsible for typographical errors.

PRINTED IN USA

M/T® 07/09